

WorkForce Pro

WF-C869RD3TWFC



Save on energy and cut waste with this reliable 4-in-1 business MFP, featuring predictable printing costs and low user intervention.

Print 84,000 pages¹ without any supply changes with this exemplary business printer, using Epson's super-high-yield Replaceable Ink Pack System (RIPS). Cut intervention downtime and lessen your impact on the environment with a reduction of up to 95 percent on energy¹ and 99 percent on waste¹. It also uses PrecisionCore technology, renowned for its speed, quality, reliability and efficiency.

Print 84,000 pages uninterrupted

Thanks to super-high-yield ink supply units, you can print up to 84,000 pages without replacing the ink¹, that's up to 4.5 times more prints than colour lasers and copiers². It cuts intervention time by up to 98 percent² as replacement inks are few and far between.

The best choice

It uses Epson's most advanced printhead designed for business, PrecisionCore. But that's not all; compared to competitive colour lasers it uses up to 95 percent less power² thanks to its no-heat technology. There really is no contest; it also beats lasers and copiers with an up to 99 percent reduction in waste and it's up to 23% quieter than lasers and laser copiers².

Be more productive

Its first page out time is up to three and a half times faster than competitive products². Wait times and the distance to collect print jobs are minimised too as it's a workgroup printer.



KEY FEATURES

- **Reduce downtime**
Print up to 84,000 pages without replacing the ink¹
- **Ecological**
Uses up to 95 percent less power than competitive colour lasers²
- **Save time**
Automatic double-sided printing, scanning, copying and faxing
- **Built for business**
Added functionality with software tools such as Epson Open Platform
- **PrecisionCore technology**
Epson's most advanced printhead technology

PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles black, 800 Nozzles per colour
Minimum Droplet Size	4.6 pl, With Variable-Sized Droplet Technology
Ink Technology	Replaceable Ink Pack System (RIPS)
Application	Office Workgroup
All-in-One Functions	Print, Scan, Copy, Fax

PRINT

First Page Out from Ready	Monochrome 6 Seconds, Colour 6 Seconds
Printing Speed ISO/IEC 24734	24 pages/min Monochrome, 24 pages/min Colour
Duplex Printing Speed ISO/IEC 24734	16 A4 pages/min Monochrome, 16 A4 pages/min Colour
Printing Speed ISO/IEC 24734 (A3)	13 pages/min Monochrome, 13 pages/min Colour
Duplex Printing Speed ISO/IEC 24734 (A3)	11 A4 pages/min Monochrome, 11 A4 pages/min Colour
Maximum Printing Speed	35 pages/min Colour (plain paper), 35 pages/min Monochrome (plain paper)
Printing Resolution	4.800 x 1.200 dpi
Max Duty cycle	75.000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	2.000 - 10.000 pages per month

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

Single-sided scan speed (A4 black)	200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan
Doubled-sided scan speed (A4 black)	200 dpi (with ADF); , 45 ipm with ADF scan
Single-sided scan speed (A4 colour)	200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan
Doubled-sided scan speed (A4 colour)	200 dpi (with ADF); , 45 ipm with ADF scan
Scanning Resolution	1.200 dpi x 2.400 dpi (Horizontal x Vertical)
Optical Resolution (ADF)	600 dpi x 600 dpi (Horizontal x Vertical)
Advanced document integration	E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft SharePoint with Epson Document Capture Pro, USB Memory Device
Output formats	JPEG, TIFF, PDF
Scanner type	Contact image sensor (CIS)

FAX

Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	upto 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITU/ITU Group3 fax with Error Correction Mode
Fax speed dials (max)	2.000 names and numbers
Page memory	upto 550 pages/ 6MB (ITU-T No. 1 chart)
Fax Functions	PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Speed Dial, Fax to Folder, Address Book

WorkForce Pro WF-C869RD3TWFC

WHAT'S IN THE BOX

- Quick Setup Guide
- Main unit
- Warranty Documents
- User manual (CD)
- Power cable
- Paper tray
- Initialization Ink Supply Units

PRODUCT SPECIFICATIONS

WorkForce Pro WF-C869RD3TWFC

COPY

Copy Speed	up to 22 ipm Black, up to 21 ipm Colour *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)
Copy resolution (dpi)	600 x 1200
Reduction / Enlargement	25 % - 400 % Auto fit function
Maximum number of copies	999
Maximum Copy Size	A3

CONNECTIVITY

Network Printing Protocols	LPR, FTP, IPP, Port 9100, WSD, Net BIOS over TCP/IP, IPPS, PTP over IP, DPS over IP, IS, Bonjour/Airprint
Network Management Protocols	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, WSD, LLTD, SMTP, LLMNR, POP3, IEEE 802.1X, ARP, GARP, EAP, ICMP, IGMP, DCHP, DNS-SD, HTTPS, XMPP, SMTPS, LDAP, LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap
Network Scanning Protocols	NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-BASE TX/ 10-BASE-T), USB host, Wi-Fi Direct, USB 2.0 Type A (2x), Wireless LAN IEEE 802.11a/b/g/n, USB 3.0 Type B
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES)
Network Protocols	TCP, UDP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS

PAPER / MEDIA HANDLING

Paper Formats	A4, A5, A6, B5, C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, Legal, A3, B4, B6, C5 (Envelope), DL (Envelope), HLT, EXE, Tabloid, A3+ 50 pages
Automatic Document Feeder	64 g/m ² - 300 g/m ²
Compatible Paper Weight	Yes
Duplex	1.835 Sheets Standard, 85 Sheets MP tray, 1.750 Sheets paper tray
Standard Paper input	250 Sheets
Output Tray Capacity	1.835 Sheets Standard, 1.835 Sheets maximum
Paper Tray Capacity	85-Sheet Multi-Purpose Tray, 250-sheet paper tray, 3 x 500 sheet paper tray, Cabinet
Standard paper tray(s)	1.835
Maximum paper input	Yes
Rear paper path (special media)	
Number of paper trays	5

PAPER FEED RASF

Paper Input Name	RASF
Paper Formats	A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, HLT, User defined, Legal, Executive, SRA3, Tabloid
Custom sizes	Min 55x 330 mm to Max 127x 1.200 mm
Compatible paper weight	64 g/m ² - 300 g/m ²
Paper Capacity 1	85 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

PAPER FEED C1

Paper Input Name	C1
Paper Formats	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid
Compatible paper weight	64 g/m ² - 200 g/m ²
Paper Capacity 1	250 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

{SPECGROUPNAME}PAPERFEEDC2-C4}

Paper Input Name	C2-C4
Paper Formats	A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid
Compatible paper weight	64 g/m ² - 200 g/m ²
Paper Capacity 1	500 80gsm

PRODUCT SPECIFICATIONS

WorkForce Pro WF-C869RD3TWFC

PAPER FEED DUPLEX

Paper Input Name	Duplex
Paper Formats	A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid
Compatible paper weight	64 g/m ² - 150 g/m ²
Paper Capacity 1	80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

GENERAL

Energy Use	20 W (Ready), 0,5 W (Power off), ENERGY STAR® qualified, 40 W (standalone copying, ISO/IEC 24712 pattern), 1,6 W (sleep mode), TEC 0,3 kWh/week
Supply Voltage	AC 220 V - 240 V
Product dimensions	787 x 873 x 1.162 mm (Width x Depth x Height)
Product weight	111,5 kg
Compatible Operating Systems	Citrix XenApp 7.x, Linux, Mac OS 10.10.x, Mac OS 10.11, Mac OS 10.6+, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Windows XP (Home Edition / Prof / Prof X64 / Vista), SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP x64, Windows Server 2003 R2
Sound Power	Operation: 6,4 B (A)
Sound Pressure	Operation: 48 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Google Cloud Print
Power Supply	220V, 240V

ADDITIONAL FEATURES

Features	Touchscreen, Direct scan-to-print without PC, Direct print from USB
LCD screen	Type: Colour, Touchscreen, Diagonal: 12,7 cm
Media Handling	Automatic duplex (A4/A3, plain paper), Portrait & Landscape printing, Rear specialty media feed, Thick Media Support
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode

OTHER FEATURES

Emulations	PCL6, PCL5c, PCL5e, ESC/P-R, PDF 1.7, PostScript 3
------------	--

OTHER

Warranty	12 months On-site service Optional warranty extension available
----------	--

EPSON®

SUPPLIES

● Business Paper - A4 - 500 Sheets	C13S450075
● Black XL Ink Supply Unit	C13T973100 22.500 Seiten
● Cyan XL Ink Supply Unit	C13T973200 22.000 Seiten
● Magenta XL Ink Supply Unit	C13T973300 22.000 Seiten
● Yellow XL Ink Supply Unit	C13T973400 22.000 Seiten
● Black XXL Ink Supply Unit	C13T974100 86.000 Seiten
● Cyan XXL Ink Supply Unit	C13T974200 84.000 Seiten
● Magenta XXL Ink Supply Unit	C13T974300 84.000 Seiten
● Yellow XXL Ink Supply Unit	C13T974400 84.000 Seiten
● Maintenance box	C13T671400
● Optional Cassette Maintenance Roller	C13S210049 200.000 Seiten
● Standard Cassette Maintenance Roller	C13S210048 200.000 Seiten
● Double-Sided Photo Quality Inkjet Paper - A4 - 50 Sheets	C13S400059

OPTIONAL ACCESSORIES

● Card Reader Holder
C12C932921
● Retractable output tray
C12C934171

LOGISTICS INFORMATION

SKU	C11CF34401BP
EAN code	8715946623160
Layer	1 Units

WorkForce Pro WF-C869RD3TWFC

INK YIELD DATA



T973

T974

●	22.500 pages*	86.000 pages*
● ● ●	22.000 pages*	84.000 pages*

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit <http://www.epson.eu/pageyield>



Epson Deutschland GmbH
Otto-Hahn-Str. 4
D-40670 Meerbusch
Info-Line: 02159 92 79 500
Telefax: +49 (0) 2159/538-3000
www.epson.de

Epson in Österreich
Info-Line: 01 253 49 78 333
www.epson.at
Epson in der Schweiz
Info-Line: 022 592 7923
www.epson.ch

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

1. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield. Initialisation inks only have enough ink to support printer start up, new inks have to be purchased or supplied for normal operation.
2. For more information, visit www.epson.eu/inkjetsaving

EPSON®