



Lexmark MX717de



MX717de

Flexible mono MFP with built-in solutions to simplify work

The MX717de features workgroup-ready print speeds of up to 60 pages per minute and single-pass duplex full-colour scanning at a speed of up to 132 sides per minute (so you can scan in colour images and documents to email). With an input capacity expandable to 3300 sheets, replacement high yield cartridges that produces up to 25.000 pages, and recommended print volume of up to 75.000 pages per month, the MX717de can easily support 10-20 busy workers.

Multifunction smart and flexibility

The MX717de transmits high-frequency sound waves through the paper during automated scanning to make sure every page gets scanned. If two pages stick together and one page isn't scanned, you'll be notified so you can restart or cancel the scan job (this Multifeed Detection feature can be disabled if you choose.)

Security. Confidential Print. Mobile print capability.

Extensive network security features and protocols protect your device, information and network from unauthorised access.



Up to 60 ppm



Network



Security



Mobility



Duplex ADF (single pass)



17,8 cm colour touch screen



Keep your sensitive documents safe by enabling the Confidential Print feature, which requires entering a customised, unique PIN on the device's keypad before the document can be printed.

Print from mobile devices using an optional Wi-Fi adapter or Lexmark's free Mobile Print app.

Large colour touch screen can be customised for each user

The interface transforms the MX717de into your own personal gateway to time-saving solutions, customised shortcuts and workflows.

Simply authenticate at the MFP and you immediately see your own personalised 17,8 cm screen with all the one-touch shortcuts you've created to scan, print, copy or send faxes, emails and other documents.

Preloaded business solutions simplify your work processes and increase productivity, while optional apps help you take on specific challenges.

Monitor jobs and supplies on the screen or from a remote location via the web interface.



4-year Guarantee

Given the choice, wouldn't you prefer to buy a device that protects your investment with a guarantee? The MX717de is so well made, we back it with a guarantee that covers repair actions including the cost of spare parts if they are needed in the first four years*. The guarantee also offers you free 24-hour online support and access to technical support by phone during working hours.

*Offer applies if the product is registered within 90 days from the date of purchase. Supplies and/or consumable parts, such as fuser or transfer unit, are excluded. Please refer to the detailed terms and conditions available at www.lexmark.com/myguarantee.

Software solutions increase productivity and save money

Lexmark's Embedded Solutions Framework (eSF) allows the MX717de to load and run software solutions tailored to your specific need or industry, to avoid having to develop and host your own applications.

The MX717de runs a wide range of optional applications created by Lexmark, its partners and customers to solve specific challenges. Simply select and load an app and run it directly on the device, eliminating the need to manage server-based applications.

High yield cartridges produce up to 25.000 pages

Replacement high yield cartridges produce up to 25.000 pages and never require shaking, which minimises interruptions and reduces cost per page. The Lexmark print system and Unison™ toner ensure consistent print quality throughout the life of the cartridge to prevent wasted prints.

User-friendly

The MX717de is simple to install, easy to use and offers full compatibility with nearly every operating system and network, so you'll be up and running in minutes. It's built to last, so you'll easily be able to print up to 75.000 pages per month, thanks to our state-of-the-art paper handling technology and long-life consumables.

Lexmark's Mobile Print app for iOS and Android devices provides a simple and consistent user experience for printing from mobile devices. It features simple printer discovery and mobile print options.

A front USB port lets you print PDF and other image files directly from a USB key and store scanned documents.

Eco-friendly

Built-in two-sided printing reduces paper use. The instant warm-up fuser saves energy and delivers the first printed page as fast as 4,4 seconds. Select an energy-saving mode (Quiet, Hibernate or Eco) to automatically minimise noise and energy consumption.

Through LCCP, the Lexmark Cartridge Collection Programme, Lexmark offers a free and easy way for you to return your empty cartridges for sustainable recycling or remanufacturing. Learn more at www.lexmark.com/recycling

Product specifications		Lexmark MX717de
Print		
Display	Lexmark e-Task 17,8 cm colour touch screen	
Print speed: up to ²	black: 60 ppm	
Time to first page: as fast as	black: 4,4 seconds	
Print resolution	black: 600 x 600 dpi, 2400 Image Quality, 1200 x 1200 dpi, 1200 Image Quality	
Memory / Processor	standard: 512 MB / maximum: 2560 MB / Dual Core, 800 MHz	
Hard Disk	Option available	
Recommended monthly page volume ⁸	5000 - 75.000 pages	
Maximum monthly duty cycle: up to ⁶	300.000 pages per month	
Copy		
Copy speed: up to ²	black: 60 cpm	
Time to first copy: as fast as	black: 4,2 seconds	
Scan		
Scanner type / ADF scan	Flatbed scanner with ADF / DADF (single pass Duplex)	
Duplex scan speed: up to	black: 132 spm / colour: 132 spm	
Simplex scan speed: up to	black: 66 spm / colour: 66 spm	
Fax		
Modem speed	ITU T.30, V.34 Half-Duplex, 33,6 kbps	
Supplies ³		
Cartridge yields: up to ¹	11.000-page cartridge, 25.000-page cartridge	
Imaging unit yield: up to ⁴	100.000 pages, based on average 3 pages per print job and 5% coverage	
Cartridge(s) shipped with product ¹	10.000-page starter Return Program toner cartridge	
Paper Handling		
Standard paper handling	Integrated Duplex, 550-Sheet Output Bin, 100-Sheet Multipurpose Feeder, 550-Sheet Input	
Optional paper handling	550-Sheet Lockable Tray, 250-Sheet Lockable Tray, 2100-Sheet Tray, 550-Sheet Tray, 250-Sheet Tray	
Paper input capacity: up to	standard: 650 pages / maximum: 3300 pages	
Paper output capacity: up to	standard: 550 pages / maximum: 550 pages	
Media types supported	Refer to the Card Stock & Label Guide., Transparencies, Plain Paper, Paper Labels, Integrated Labels, Envelopes, Dual Web Labels, Card Stock	
Media sizes supported	A6, Oficio, Universal, Statement, Letter, Legal, JIS-B5, Folio, Executive, DL Envelope, C5 Envelope, B5 Envelope, A5, A4, 9 Envelope, 7 3/4 Envelope, 10 Envelope	
General ⁷		
Standard connectivity	Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Gigabit Ethernet (10/100/1000), USB 2.0 Specification Hi-Speed Certified (Type B), One Internal Card Slot	
Optional network ports / Optional local ports	Internal MarkNet N8350 802.11b/g/n Wireless / Internal 1284-B Bidirectional Parallel, Internal RS-232C serial	
Noise Level: Operating	Print: 57 dBA / Copy: 58 dBA / Scan: 57 dBA	
Specified operating environment	Altitude: 0 - 2896 Meters (9,500 Feet), Humidity: 8 to 80% Relative Humidity, Temperature: 16 to 32°C (60 to 90°F)	
Product guarantee ⁵	4 year on-site repair guarantee (after registration)	
Size / Weight	HxWxD: 727 x 548 x 578 mm / 43,3 kg	
Part Number	24TC887	

¹Average standard page yield value declared in accordance with ISO/IEC 19752. ²Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ³Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/regions for more details. ⁴Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁵Offer applies if the product is registered within 90 days from the date of purchase. Supplies and/or consumable parts, such as fuser or transfer unit, are excluded. Please refer to the detailed terms and conditions available at lexmark.com/myguarantee. ⁶The maximum monthly duty cycle is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁷Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁸The recommended monthly page volume is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

This is a Class A device according to the FCC Rules and EN 55022/EN 55032 emissions standards. This device is not intended for use in residential or domestic environments due to potential interference to radio communications.

Lexmark MX717de features

