A4 Black and White Multifunction Printer

RICOH
SP 320DN
SP 320SN
SP 325DNw
SP 325SFNw



RICOH SP 325DNw

28 ppm RICOH SP 325SFNw

28 ppm



Simplicity that's designed to move you forward.

Businesses like yours just want to keep making progress and these are the A4 black and white printer & MFP's to help you do so much more. Offering durability you can rely on, they also feature 1,200 x 1,200 dpi image quality, combined with an easy set-up and a built-in simplicity, so you can quickly and efficiently use every function. Their compact nature means you can position them almost anywhere – and with the added flexibility of mobile printing from various supported smart devices.

- Simple to install and operate with a dedicated app
- Easy to replace All-in-One cartridge
- Compact and front operational
- Supports Windows, Mac and Linux IT environments
- Printing and scanning with Android and iOS smart devices



The perfect outcome. Every time.

High productivity. Higher quality.

The SP 325SFNw will give you enhanced productivity with its Automatic Reverse Document Feeder and more connectivity options with AirPrint support. Each device in this range will also offer you a fast output of images at 1,200 x 1,200 dpi quality giving you a level of production that will help you exceed your business objectives and achieve so much more.

Endless sharing options.

The SP 325SFNw will give you everything you would expect from a multifunction printer and are your gateway to document sharing. Use their capabilities to quickly scan and digitise your documents and make them easier to share by simply scanning straight to a folder, email or USB via the scan driver.



Connect with convenience.

The Ricoh's printer driver set-up tool will automatically select, download and install the proper driver for every Windows®, Mac® and Linux® user. In addition to standard USB 2.0 and Ethernet interfaces, you can take advantage of wireless LAN or Wi-Fi Direct® connectivity and place the device where it's most convenient for everybody to use. You can print images, documents and more using the Ricoh Smart Device Print&Scan app from your smart Devices which are downloadable from the App Store. It's really that simple and convenient.





Save energy while protecting your budget.

Simplify maintenance with All-in-One print cartridges for all Ricoh 320 series monochrome printer. The 320 series help to reduce environmental impact and lowering the costs by taking advantage of standard duplex printing that will minimize the amount of paper you use. The SP 325SFNw includes the ID Copy function which saves time and paper by copying both sides of wallet-sized documents and cards onto one side of paper. In addition, the SP 320 series models offer a Sleep Mode, a low Typical Electricity Consumption value, are ENERGY STAR® certified that get your work done with minimal environmental impact.



RICOH SP 320DN / SP 320SN / SP 325DNw / SP 325SFNw

MAIN SPECIFICATIONS

MODEL						
		SP 325SFNw 4 in 1	SP 320SN 3 in 1	SP 325DNw Single	SP 320DN Function	
Туре			Desi	ctop		
Technology	Print Engine Scanning Method		Electropho :IS	otographic		
Operation Panel	Jeanning Method		e LCD			
Printing Speed A4 First Print Speed		Up to 28 ppm	Up to 26 ppm Less than	Up to 28 ppm	Up to 26 ppm	
Warm-up Time			Less than			
Processor			360	MHz		
Memory (Standard / Max) Printing Resolution			128 MB / 1,200 x 1			
Duplex Printing				ito		
Host / Network Interface (Standard)		USB2.0,	USB2.0,	USB2.0,	USB2.0,	
		10BASE-T/100BASE-TX Ethernet IEEE802.11b/g/n	10BASE-T/100BASE-TX Ethernet	10BASE-T/100BASE-TX Ethernet IEEE802.11b/g/n	10BASE-T/100BASE-TX Ethernet	
Network Protocol			TCP/IP (IPv4			
Operating Systems			Win 7/8/8.1/10, server 2003/server 2008/se	rver 2012 (32bit/64bit), Mac OS X v10.11,		
		Linux (Ubuntu,Open SUSE & Red Hat Enterprise)				
Input Capacity	Standard Tray		250 sheets	s (80 g/m²)		
Output Capacity	Bypass Tray Face Down	50 sheets (80 g/m²) Up to 50 sheets (A4/LT or 80 g/m²) Up to 125 sheets (A4/LT or 80 g/m²)				
Input Paper Size		A4, B5, A5, B6, A6, Legal, Letter, HLT, Exective, F, Foolscap, Folio, 16K Custom size: Min. 100 mm x 148 mm, Max. 216 mm x 356 mm				
	Standard Tray					
	Bypass Tray	A4, B5, A5, B6, A6, Legal, Letter, HLT, Exective, 16K Envelope: #10, Monarc, C5, C6, DL Custom size: Min. 90 mm x 140 mm, Max. 216 mm x 356 mm				
		Custom size: Min. 90 mm x 140 mm, Max. 216 mm x 356 mm				
Media Type	Standard Tray	Plain Paper, Recycled Paper, Thick Paper, Thin Paper				
Paper Weight	Bypass Tray Standard Tray	+		· · · · · · · · · · · · · · · · · · ·		
	Bypass Tray	52-162 g/m² 60-105 g/m²				
ARDF	Duplex Capacity	35 sheets	60-10	s g/m²		
Power	US Version		220-240 V	, 50/60 Hz		
Dimensions (WxDxH)		405 x 392 x 405 mm	405 x 392 x 346 mm	376 x 392	x 262 mm	
Weight AIO cartridge incl. CONSUMABLES		<17.	0 Kg	<13.	0 Kg	
Starter Toner				000 pages		
High Yield Toner				500 pages		
Low Yield Toner		<u> </u>	Approx. 2			
	o measure the above toner yield. 2) The c	ondition is standard temperature and humidi				
Duty Cycle		Less than 35,000 pages/month	Less than 20,000 pages/month	Less than 35,000 pages/month	Less than 20,000 pages/month	
Recommended Monthly Print Volume	Average Maximum	5,800 pages/month	700 page 3,000 pages/month	5,800 pages/month	3,000 pages/month	
ECOLOGY		-, p-gesmonth			-, Fagewinonia	
Power Comsumption	In Active		890 W or less			
	Standby Sleep	50 W or less 1 W or less				
COPIER	1000					
First Copy Speed	Tax.		an 8 sec			
Maximum Original Size	Platen		tter (215.9 x 279.4mm) tter (215.9 x 279.4mm)			
	ARDF *(SP 325SFNw only)	/ Legal (215.9	9 x 355.6mm)			
Copy Speed		up to 28 cpm	up to 26 cpm			
Multiple Copy Resolution (H x V)			to 99 I), 600 x 300dpi (ARDF)			
Reduction / Enlargement		25% to 400% in	n 1% increments			
Image Density Adjustment		Yes, Manual	only: 5 levels			
Copy Mode (Image quality mode) Auto Duplex Copy		lext / Pho	rto / Mixed es			
		Y				
Combine Copy		2 in 1, 4 in 1 (ARI				
Combine Copy ID Card Copy		2 in 1, 4 in 1 (ARI	DF only for A4/LT) es			
Combine Copy ID Card Copy SCANNER		2 in 1, 4 in 1 (ARI Y	es			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy		2 in 1, 4 in 1 (ARI Y Col 1,200 x	lour 1,200 dpi			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution		2 in 1, 4 in 1 (ARI Y Cool 1,200 x 100x100dpi	lour 1,200 dpi - 600x600dpi			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy		2 in 1, 4 in 1 (ARI Y Col 1,200 x 100x100dpi ADF: Black&White , Gr	es Jour 1,200 dpi - 600x600dpi ay Scale: less than 5 sec.			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Mode/ Speed		2 in 1, 4 in 1 (ARI Y Col 1,200 x 100x100dpi ADF: Black&White , Gr Color: les	es Jour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec.			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modey Speed (A4, 300dpi, USB2.0)	Diston	2 in 1, 4 in 1 (ARI Y Col 1,200 x 100x100dpi ADF: Black&White, Gr Color: less Platen: Black&White, GG Color: Colories	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec rray Scale: less than 5 sec.			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Mode/ Speed (A4, 300dpi, USB2.0)	Platen ARDF *(P 3255FNw only)	2 in 1, 4 in 1 (ARI Y Col 1,200 x 100x100dpi ADF: Black&White , Gr Color: less Platen : Black&White , G Color: less Width max: Up to 21fems,	es Jour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec.			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth		2 in 1, 4 in 1 (ARI Y CCO 1,200 x 100x100dpi ADF: Black&White, G Color: less Platen: Black&White, G Color: Width max: Up to 216mm, Width max: Up to 216mm, Width midth processing (input),	lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec triay Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm Bibt color processing (output)			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modey Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient		2 in 1, 4 in 1 (ARI Y Col 1,200 x 100x100dpi ADF: Black&White, Gr Color: less Platen: Black&White, Gr Color: less Width max: Up to 216mm, Width max: Up to 216mm, 16bit color processing (input).	lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec than 10 sec Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers		2 in 1, 4 in 1 (ARI Y Col 1,200 x 100x100dpi ADF: Black&White , Gr Color: less Platen : Black &White , Gr Color: less Width max: Up to 216mm, Width max: Up to 216mm, 16bit color processing (input), TWAIN	lour 1,200 dpi 600x600dpi 3y Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm Bibt color processing (output) IAIN I Driver es			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scan to Email Scan to Folder		2 in 1, 4 in 1 (ARI Y Col 1,200 x 1,200 x 100x100dpi ADF: Black8White, Gr Color: less Platen: Black8White, Gr Color: less Width max: Up to 216mm, Width max: Up to 216mm, 16bit color processing (input), TWAIN Y Y	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec ray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN 10 Driver es es			
Combine Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scan to Email Scan to Folder		2 in 1, 4 in 1 (ARI Y Col 1,200 x 100x100dpi ADF: Black&White , Gr Color: less Platen : Black &White , Gr Color: less Width max: Up to 21femm, Width max: Up to 21femm, 16bit color processing (input), TWAIN TWAIN Y Y	es lour 1,200 dpi 600x600dpi ay Scale: less than 5 sec. than 10 sec cray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN I Driver es es es			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scan to Email Scan to Folder Scan to Efbasi Scan to Floder Scan to USB memory FAX "(Applicable for SP 3255FNw)		2 in 1, 4 in 1 (ARI Y Y Col 1,200 x 100x100dpi ADF: Black&White , Gr Color: less Platen : Black &White , Gr Color: less Width max: Up to 21femm, Width max: Up to 21femm, Tolor: less Width max: Up to 21femm, Tolor: less TWAIN TWAIN Y Y Y	es lour 1,200 dpi 600x600dpi 3y Scale: less than 5 sec. than 10 sec triay Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN D Driver es es es es			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scante Email Scan to Folder Scan to Use Type Scan to Flog Scan to Flog Scan to USB memory FAX "(Applicable for SP 3255FNw) FAX Type		2 in 1, 4 in 1 (ARI Y Col 1,200 x 1,2	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec. tray Scale: less than 5 sec. tray Scale: less than 5 sec. Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN I Driver es es es es			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Compilent Scanner Utilities & Drivers Scanner Utilities & Drivers Scan to Final Scan to Final Scan to Final Scan to Final Scan to USB memory FAX "(Applicable for SP 325SFNw) FAX "(Applicable for SP 325SFNw) FAX Type FAX (TAPPLICABLE) FAX COMPILED		2 in 1, 4 in 1 (AR) Col 1,200 x 1,200 x 10x100dpi ADF: Black&White , Gr Color: less Platen : Black &White , Gr Color: less Width max: Up to 21femm, Width max: Up to 21femm, Twild TWILD Y Y G3, PC fax - tre PSTN	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm Bibit color processing (output) AIN I Driver es es es es es es			
Combine Copy ID Gard Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scant oE mail Scan to Folder Scan to Fusil Scan to Folder Scan to USB memory FAX "(Applicable for SP 325SFNw) FAX Type Fax Urge Fax Circuit Communication Mode	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only)	2 in 1, 4 in 1 (AR) Col 1,200 x 1,200 x 1,200 x 10x100dpi ADF: Black&White , Gr Color: less Platen : Black&White , Gr Color: less Width max: Up to 21femm, Width max: Up to 21femm, Width max: Up to 21femm, TWIN TWIN TWIN TWIN G3, PC fax - tr PSTN Width: 139,7-215, T. Width: 139,7-215, T.	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm Bibit color processing (output) AIN Driver es es es es es es es es Length max: Up to 356mm Bibit color processing (output) AIN Length max: Up to 356mm Bibit color processing (output) AIN Length max: Up to 356mm Bibit color processing (output) AIN Length max: Up to 356mm Bibit color processing (output) AIN Length max: Up to 356mm Bibit color processing (output) Length: 139.7-355.6 mm			
Combine Copy ID Gard Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scan to Enail Scan to Folder Scan to Folder Scan to USB memory FAX = (Applicable for SP 3255FNw) Fax Type Fax Communication Mode Document Size	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Y Col 1,200 x 1,200 x 100x100dpi ADF: Black&White , Gr Color: less Platen : Black&White , Gr Color: less Width max: Up to 21femm, Width max: Up to 21femm, Width max: Up to 21femm, Yidth max: Up to 21femm, Golor: Free Color: Less Yidth TivAlih Yidth TivAlih Yidth: 139.7-215.9mm, Width: 139.7-215.9mm, Width max: 216 mm,	es lour 1,200 dpi 600x600dpi ay Scale: less than 5 sec. than 10 sec cray Scale: less than 5 sec. than 10 sec length max: Up to 297mm Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN 1 Driver es			
Combine Copy ID Gard Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scan to Email Scan to Folder Scan to Folder Scan to USB memory FAX *(Applicable for SP 3255FNw) FaX Type Fax Communication Mode Document Size Maximum Scanning and Printing Size	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Y Col 1,200 x 1,200 x 100x100dpi ADF: Black&White, Gr Color: less Platen: Black&White, Gr Color: less Width max: Up to 216mm, Width max: Up to 216mm, TW TWAIN 16bit color processing (input), Y Y G3, PC fax - trc PSTN T, Width: 139.7-215.9mm, Width max: 216 mm,	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN I Driver es			
Combine Copy ID Gard Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modey Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scan to Final Scan to Final Scan to Final Scan to Fip Scan to Speed Communication Mode Document Size Maximum Scanning and Printing Size Resolution	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Y Col 1,200 x 1,2	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN Driver es			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scan to Email Scan to Folder Scan to Folder Scan to USB memory FAX "(Applicable for SP 325SFNw) FAX "(Applicable for SP 325SFNw) FAX Type FAX Communication Mode Document Size Maximum Scanning and Printing Size Resolution Scanning Speed	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Y Y Col 1,200 x 1,	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm Bibit color processing (output) AIN I Driver es			
Combine Copy ID Gard Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scan to Email Scan to Folder Scan to Final Scan to Folder Scan to USB memory FAX "(Applicable for SP 325SFNw) FAX Type Fax Circuit Communication Mode Document Size Maximum Scanning and Printing Size Resolution Scanning Speed Fax Modem Speed	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Y Col 1,200 x 1,2	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN 1 Driver es			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Unities & Drivers Scanner Unities & Drivers Scan to Folder Scan to Folder Scan to USB memory FAX "Capplicable for SP 325SFNw) Fax Type Fax Circuit Communication Mode Document Size Maximum Scanning and Printing Size Resolution Scanning Speed Fax Modem Speed	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Y Col 1,200 x 1,200 x 100x100dp ADF: Black&White, G Color: less Platen : Black &White, G Color: less Width max: Up to 21f6mm, Width max: Up to 21f6mm, Tolor: less Width max: Up to 21f6mm, Width max: Up to 21f6mm, Width max: Up to 21f6mm, Tolor: less Width max: Up to 21f6mm, Width max: Up to 21f6mm, Tolor: less Width: Tolor: less Y Y Y Y Y Y Y Y Width: 39,7-215,9mm, Width: 39,7-215,9mm, Width: 39,7-215,9mm, Width: 30,7-215,9mm, Width: 30,7-215,9mm, Less Less th Less th Less th Less th Less th	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 297mm Bit color processing (output) AIN 10 processing (output) 10 processi			
Combine Copy ID Gard Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modey Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scanner Utilities & Drivers Scan to Email Scan to Folder Scan to Figure Scan to USB memory FAX "(Applicable for SP 325SFNw) Fax Type Fax Circuit Communication Mode Document Size Maximum Scanning and Printing Size Resolution Scanning Speed Fax Modem Speed Fax Transmission Speed SAF Memory	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Y Y Y Y Color 1,200 x 1,20	es but lour 1,200 dpi - 600x600dpi ay Scale: less than 5 sec. than 10 sec ray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN 10 briver es es es es es es es es 8 ses es			
Combine Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scan to Email Scan to Folder Scan to Folder Scan to Folder Scan to USB memory FAX "(Applicable for SP 325SFNw) FAX "Speed Communication Mode Document Size Maximum Scanning and Printing Size Resolution Scanning Speed Fax Modem Speed	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Y Col 1,200 x 1,20	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec ray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN I Driver es			
Combine Copy ID Gard Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scan to Email Scan to Folder Scan to Final Scan to Folder Scan to USB memory FAX "(Applicable for SP 3255FNw) FAX	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Col 1,200 x 2,200 x 1,200 x 2,200 x 1,200 x 1,20	es but lour 1,200 dpi - 600x600dpi ay Scale: less than 5 sec. than 10 sec ray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN 10 briver es es es es es es es es 8 ses es			
Combine Copy ID Gard Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scan to Email Scan to Folder Scan to Final Scan to Folder Scan to USB memory FAX "(Applicable for SP 325SFNw) FAX Type Fax Circuit Communication Mode Document Size Maximum Scanning and Printing Size Resolution Scanning Speed Fax Modem Speed	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Y Y Col 1,200 x 1,	es lour 1,200 dpi 1,200 dpi 1,200 dpi 1,200 dpi 1,600x600dpi ay Scale: less than 5 sec. than 10 sec ray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN 1 Driver es			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scan to Enail Scan to Folder Scan to Folder Scan to USB memory FAX "(Applicable for SP 325SFNw) FAX "(Applicable	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Y Y Col 1,200 x 100x100dpi ADF: Black&White , Gr Color: less Platen : Black &White , Gr Color: less Width max: Up to 216mm, Width max: Up to 216mm, Tolor: less Width max: Up to 216mm, Width max: Up to 216mm, Tolor: less Width max: Up to 216mm, Tolor: less Width max: Up to 216mm, Width max: Up to 216mm, Tolor: less Tolor: less Y Y Y Y G3, PC fax - trc PSTN Width: 139.7-215.9mm, Width max: 216 mm, Width max: 216 mm, Width max: 216 mm, Less th Less th Less th Less th Compre	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 356mm Bibit color processing (output) AIN I Driver es			
Combine Copy ID Gard Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scan to Email Scan to Folder Scan to Folder Scan to USB memory FAX *(Applicable for SP 3255FNw) FaX Type Fax Circuit Communication Mode Document Size Maximum Scanning and Printing Size Resolution Scanning Speed Fax Modem Speed Contrast Control (Density) Serial Boardcasting Automatic Redial	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Y Y Col 1,200 x 1,	es lour 1,200 dpi 1,200 dpi 1,200 dpi 1,200 dpi 1,600x600dpi ay Scale: less than 5 sec. than 10 sec ray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN 10 Driver es			
Combine Copy ID Card Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modes' Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scanner Utilities & Drivers Scan to Email Scan to Figh Scan to USB memory FAX "(Applicable for SP-325SFNw) Fax Type Fax Circuit Communication Mode Document Size Maximum Scanning and Printing Size Resolution Scanning Speed Fax Maximum Scanning Speed Fax Transmission Speed Fax Memory Memory Backup One Touch Dial	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen Transmission	2 in 1, 4 in 1 (ARI Y Y Col 1,200 x 1,	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN I Driver es			
Combine Copy ID Gard Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modey Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scanner Utilities & Drivers Scan to Fmail Scan to Folder Scan to ISB memory FAX "(Applicable for SP 325SFNw) FAX "(Applicable for SP 325SFNw) FAX "(Tapplicable for SP 325SFNw) FAX "(Applicable for SP 325SFNw) FAX	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen	2 in 1, 4 in 1 (ARI Y Y Y Y Y Y Y Y Y Y Y 1,200 x 1,2	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN 10 Toriver es			
Combine Copy ID Gard Copy SCANNER Colour/Mono Optical Resolution ID Card Copy Mechanical Resolution Scan Modey Speed (A4, 300dpi, USB2.0) Maximum original size Scan Depth TWAIN Complient Scanner Utilities & Drivers Scanner Utilities & Drivers Scan to Email Scan to Folder Scan to ISB memory FAX "(Applicable for SP 325SFNw) FAX "(Applicable for SP 325SFNw) FAX "(Topicable for SP 325SFNw) FAX "(Applicable for SP 325SFNw) FAX "	ARDF *(SP 325SFNw only) ARDF *(SP 325SFNw only) Platen Transmission	2 in 1, 4 in 1 (ARI Y Y Y Y Col 1,200 x 1,200	es lour 1,200 dpi -600x600dpi ay Scale: less than 5 sec. than 10 sec tray Scale: less than 5 sec. than 10 sec Length max: Up to 297mm Length max: Up to 297mm Length max: Up to 356mm 8bit color processing (output) AIN I Driver es			

^{*} Airprint & Mopria Printing will be available on Spring 2017



www.ricoh-ap.com

RICOH ASIA PACIFIC PTE LTD

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2016 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.











