

SAMSUNG PRINTING INNOVATION

Samsung Mono Laser Printer *ProXpress* M3320/3820/4020 SERIES



ProXpress M3320/3820/4020 SERIES

Fast, professional-quality printers with
lower operating costs

M3320ND/M3820ND/M3820DW/M4020ND/M4020NX
M3325ND/M3825ND/M3825DW/M4025ND/M4025NX



Samsung Mono Laser Printer

ProXpress M3320/3820/4020 SERIES

Fast, professional-quality printers with lower operating costs

Most businesses and small and home office (SOHO) companies increasingly require high productivity and lower operating costs from their printers. These businesses need printers that also are easy to use and versatile for printing a range of documents and presentations

Models

M3320ND/M3820ND/M3820DW/M4020ND/M4020NX
M3325ND/M3825ND/M3825DW/M4025ND/M4025NX



ProXpress M3320/3820/4020 SERIES FEATURES



One Touch Eco button

Businesses can lower toner and paper usage with the One Touch Eco Button. The One Touch Eco Button automatically activates 2-up printing (two pages on the same side) and duplex printing (printing on both sides). Users can also choose the option to skip blank pages in the toner saving mode. These eco settings can be adjusted using Easy Printer Manager.




Additional printing choices for professional documents

The printers' multipurpose tray supports media of up to 220 gsm (grams per square meter) in weight, which offers more printing choices for professional documents. Numerous labels, cards and envelopes can be printed using the multi-purpose tray with ease. This ability virtually eliminates the time it takes to feed sheets one at a time.



Central print usage control to save more resources

Central Print Usage Control, activated through the SyncThru™ Admin Job Accounting feature, enables managers to assign users to specific printers. Users can also be assigned quotas for the number of pages or copies they can make per printer.



Higher-quality print output

ReCP technology improves readability of printed documents by enhancing thin lines and sharpening the edges of negative text. The ProXpressM3320 | 3820 | 4020 series deliver sharp, solid prints with effective output print resolutions of up to 1,200 x 1,200 dpi.

ProXpress M3320/3820/4020 SERIES FEATURES CONTINUED



High speed printing

Robust ProXpress M3320 | 3820 | 4020 series feature print speeds of up to 40 ppm, powered by a Cortex™-A5 core processor and up to 256 MB of memory. High speed and performance enable businesses to accelerate document and image processing for increased efficiency.

40ppm and 256MB of memory are available on M4020ND model only.

38ppm and 128MB of memory are available on M3820DW, M3820ND and M3820D models only.

33ppm and 128MB of memory are available on M3320ND model only.

Product dimensions may differ from image provided.



Enterprise-level document security

Businesses produce and print numerous official documents including confidential information, which requires high security on the printing jobs. ProXpress M3320 | 3820 | 4020 series offer greater control of user, document and network access with Samsung SyncThru™ Admin at the enterprise security level.



Easy Printer Manager

Easy Printer Manager helps companies remotely control settings, such as the One Touch Eco Button features. Multiple devices can be monitored and managed using Easy Printer Manager. Businesses can also monitor printer status, such as error messages, including paper empty, toner empty and paper jam alerts.



More laser toner cartridge options, more choices for cost reduction

ProXpress M3320 | 3820 | 4020 series offers diverse laser toner cartridge options from standard-yield laser toner cartridges that typically yield 3,000 standard pages to ultra-high yield laser toner cartridges that can yield 15,000 standard pages, which meets every businesses' needs for reducing cost per page.

An integrated toner system contains the imaging unit and toner cartridge in one convenient package. This integrated toner system is the preferred choice for businesses with a heavier printing volume who require a lower CPP and easier maintenance.

10,000 page yield toner cartridge is available on M3820 and M4020 series only.

15,000 page yield toner cartridge is available on M4020ND model only.

Product dimensions may differ from image provided.



ProXpress M3320/3820/4020 SERIES SPECIFICATION



	M3320ND/M3325ND	M3820ND/M3825ND	M3820DW/M3825DW
Functions	Print	Print	Print
Print Speed (Mono)	Up to 33 ppm in A4	Up to 38 ppm in A4	Up to 38ppm in A4
FPOT (Mono)	As fast as 6.5 sec (From Ready Mode)	As fast as 6.5 sec (From Ready Mode)	As fast as 6.5 sec (From Ready Mode)
Print Resolution	Up to 1200 x 1200 dpi effective output	Up to 1200 x 1200 dpi effective output	Up to 1,200 x 1,200 dpi effective output
Emulation	SPL / PostScript3 / PCL6 / PCL5e / IBM ProPrinter / EPSON	SPL / PostScript3 / PCL6 / PCL5e / IBM ProPrinter / EPSON	SPL / Postscript3 / PCL6 / PCL5e / IBM Proprinter / EPSON
Processor	600 MHz	600 MHz	600 MHz
Memory	128 MB	128 MB	128 MB
Interface	Ethernet 10/100 Base TX / High Speed USB 2.0	Ethernet 10/100 Base TX / High Speed USB 2.0	Ethernet 10/100 Base TX / High Speed USB 2.0 / Wireless 802.11 b/g/n
Input Capacity (CST)	250-Sheet Standard Cassette	250-Sheet Standard Cassette	250 - sheet standard cassette
Input Capacity (MP)	1-Sheet Manual Feeder	50-Sheet Multi Purpose Tray	50- Sheet Multi Purpose Tray
Output Capacity	150-sheet Face-Down, 1-sheet Face-Up	150-sheet Face-Down, 1-sheet Face-Up	150 -sheet Face Down, 1 sheet Face Up
ADF Capacity	□	□	
Dimension (WxDxH)	366 x 365.6 x 262.5 mm	366 x 365.6 x 262.5 mm	366 x 356.6 x 262.5mm
Weight	9.86kg	9.86kg	9.86Kg
Max. Monthly Duty	Up to 50,000 sheets	Up to 80,000 sheets	Up to 50,000 sheets

**FAST,
PROFESSIONAL-
QUALITY PRINTERS
WITH LOWER
OPERATING COSTS**



ProXpress M3320/3820/4020 SERIES SPECIFICATION



	M4020ND/M4025ND	M4020NX/M4025NX
Functions	Print	Print
Print Speed (Mono)	Up to 40 ppm in A4	Up to 40ppm in A4
FPOT (Mono)	Up to 1200 x 1200 dpi effective output	As fast as 6.5 sec (From Ready Mode)
Print Resolution	Up to 1,200 x 1,200 dpi effective output	Up to 1,200 x 1,200 dpi effective output
Emulation	SPL / PostScript3 / PCL6 / PCL5e / IBM ProPrinter / EPSON	SPL / Postscript3 / PCL6 / PCL5e / IBM Proprinter / EPSON
Processor	600 MHz	600 MHz
Memory	256 MB	128 MB
Interface	Ethernet 10/100/1000 Base TX / High Speed USB 2.0	Ethernet 10/100 Base TX / High Speed USB 2.0
Input Capacity (CST)	250-Sheet Standard Cassette	250 - sheet standard cassette
Input Capacity (MP)	50-Sheet Multi Purpose Tray	50- Sheet Multi Purpose Tray
Output Capacity	150-sheet Face-Down, 1-sheet Face-Up	150 -sheet Face Down, 1 sheet Face Up
Dimensions (WxDxH)	366 x 365.6 x 262.5 mm	366 x 356.6 x 262.5mm
Weight	10.27tkg	10.27Kg
Max. Monthly Duty	Up to 100,000 sheets	Up to 50,000 sheets

**FAST,
PROFESSIONAL-
QUALITY PRINTERS
WITH LOWER
OPERATING COSTS**



ProXpress M3320/3820/4020 SERIES

COMPATIBLE SUPPLIES & OPTIONS

The ProXpress M3320/3820/4020 Series is supported by high quality supplies and options.

SUPPLIES



MLT-D203E
Toner Cartridge
10K pages



MLT-D203L
Toner Cartridge
5K pages



MLT-D203S
Toner Cartridge
3K pages



MLT-D204E
Toner Cartridge
10K pages



MLT-D204L
Toner Cartridge
5K pages



MLT-D204S
Toner Cartridge
3K pages



MLT-R204
Imaging Unit
30K pages

OPTIONS



ML-MEM370
Memory
512MB, DDR3



SL-SCF3800
Second Cassette Feeder
520 sheets, Split Gray



SL-SCF3805
Second Cassette Feeder
520 sheets, Cream White



ML-PAR100
Parallel Connector



Samsung Electronics EHQ,
Regus Building, 3000 Hillswood Drive,
Chertsey, Surrey, KT16 0RS, United Kingdom

Product/model availability may differ per country. Please consult your local Samsung office to confirm product/model availability. All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2014 Samsung Electronics Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Samsung Electronics Ltd.

www.samsung.com