

CUSTOMIZE YOUR MFP WITH FLEXIBLE OPTIONS

Configurations & Options



GENUINE SAMSUNG SUPPLIES

Real Savings, Certified Eco-Technology.
Always make the right impression by using genuine Samsung supplies.



SAMSUNG

On September 12, 2016, HP Inc. announced a definitive agreement to acquire Samsung Electronics Co., Ltd.'s printer business and the acquisition was completed on November 1, 2017. HP Inc. creates technology that makes life better for everyone, everywhere. Through our portfolio of printers, PCs, mobile devices, solutions, and services, we engineer experiences that amaze. More information about HP (NYSE: HPQ) is available at <http://www.hp.com>.

AirPrint is a trademark of Apple Inc. registered in the U.S. and other countries. Android and Google Cloud Print are trademarks of Google Inc. Samsung Cloud Print is either a trademark or registered trademark of Samsung Electronics Co., Ltd. Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States and/or other countries.

Mopria®, the Mopria® Logo and the Mopria® Alliance logo are registered trademarks and service marks of Mopria Alliance, Inc. in the United States and other countries.



2017.11.

smartproXpress

Lower costs,
higher performance

Multifunction
M4560FX



SMART PRINTING.
BUSINESS INNOVATION.

BOOST COMPETITIVENESS WITH EXCEPTIONAL SAVINGS AND POWERFUL PERFORMANCE

Overview

Lowering costs without compromising high quality printing is a growing need for SMBs and enterprises that handle heavy print volumes.

The Samsung ProXpress M4560FX ensures cost-efficiency with long-lasting consumables, as well as powerful performance with its 1.5 GHz Quad-Core CPU. Users can also fully customize it with the Smart UX to streamline workflow for better productivity.

Key benefits

Helps reduce costs with long-lasting consumables

- Cut down on replacements and lower Total Cost of Ownership(TCO) with higher yield toner and drum

Higher productivity backed by powerful performance


- Scan up to 60 ipm with the Dual Scan Document Feeder
- Get ultra-fast prints powered by a powerful 1.5 GHz Quad-Core CPU
- Enhance work efficiency the smart way, customize workflow to your needs
- Smart UX Center streamlines your workflows
- Work smarter and more efficiently with a wide variety of apps
- Intuitive and customizable UI for efficiency
- XOA-E support for better productivity
- Ensure documents are secure with multi-layered security



HELPS REDUCE COSTS WITH LONG-LASTING CONSUMABLES

Cut down on replacements and lower TCO with higheryield toner and drum

Lower your TCO even with large print volumes with ultra-high yield consumables. Work more productively without the hassle of regular replacements with the large 40,000-page toner and 100,000-page drum capacity.



HIGHER PRODUCTIVITY BACKED BY POWERFUL PERFORMANCE




Scan up to 60 ipm with a Dual Scan Document Feeder

Reduce downtime when scanning heavy documents. The Dual Scan Document Feeder offers ultra-high duplex scanning speeds of up to 40 single-sided ipm and 60 double-sided ipm by scanning both sides at once.



Get ultra-fast prints powered by a powerful 1.5 GHz Quad-Core CPU

Boost productivity with faster printing speeds. The Samsung ProXpress M4560FX features a powerful 1.5 GHz Quad-Core CPU that ensures exceptional speeds of up to 45 ppm.



1.5 GHz Quad-Core CPU
Up to 45 ppm



CUSTOMIZE WORKFLOW TO YOUR NEEDS THE SMART AND SECURE WAY



Smart UX Center streamlines your workflows

The Smart UX Center, the industry's first Android™-based printer interface, offers an open ecosystem of apps and widgets to boost work productivity. It boasts excellent extensibility that allows it to evolve and create a smarter working environment.



Awarded for Smart UX Center's Unique and Innovative Possibilities




Work smarter and more efficiently with a wide variety of apps

Enhance productivity by customizing the user interface to suit your needs. Apps and widgets in the Printing App Center can enhance workflows by automating frequently performed tasks, or remotely diagnosing printer failures to cut maintenance costs.



Intuitive and customizable UI for efficiency

Get quick access to the Smart UX Center with the interactive 7-inch IR type touchscreen panel. Easy-to-use with high touch sensitivity, the touchscreen enables users to move widgets and apps around even when operating with a pen or gloved hand.



SAMSUNG

Pen or
gloved hand

XOA-E support for better productivity

Tailor your printing system to suit your needs without having to install a server. The XOA-E platform enables you to manage devices and workflows seamlessly within a cost-efficient server-less environment.



Ensure documents are secure with multi-layered security

Secure your data. The Samsung ProXpress M4560FX offers multi-layered security, enabling administrators to lock or protect certain features. It also keeps documents encrypted with HDD overwrite options, and can even secure your network.



SAMSUNG MULTIFUNCTION PRINTER

smartproXpress M4560FX

Specifications

General		SL-M4560FX
Standard Functions		Print, Copy, Scan, Fax
Processor		1.5 GHz (Quad Core)
Operational Panel		7" Color Touch Screen Panel
Memory (Standard)		3 GB
Memory (Maximum)		3 GB
Hard Disk Drive		320 GB (User Available Space : 279 GB)
Interface (Standard)		USB Device, USB Host x 2, Ethernet 10/100/1000 Base TX
Interface (Optional)		IEEE 802.11 b/g/n (NFC Active Type)
Warm-up Time (From Power On)		25 sec
Warm-up Time (From Sleep)		23 sec
Power Requirements		AC 220 - 240 V, 50 / 60 Hz, AC 110 - 127 V, 50 / 60 Hz (Not dual voltage, power supply varies by country)
Power Consumption		900 W (Printing), 900 W (Copying), 30 W (Ready), 1.8 W (Sleep), 2.90 kWh (TEC)
Noise Level		Less than 54 dBA (Printing), Less than 57 dBA (Copying), Less than 30 dBA (Ready)
Dimension (WxDxH)		433 x 459.5 x 573.8 mm (17.05 x 18.09 x 22.59 in)
Weight (SET Only / SET with Supplies)		Set Only : 26.41 kg (58.22 lb) / Set with Supplies : 29.08 kg (64.11 lb)
Max. Monthly Duty Cycle		200,000 pages
Recommended Monthly Print Volume		2,000 - 15,000 pages
Security		SSL/TLS, IPv6, IPSec, SNMPv3, IEEE 802.1x, Kerberos, SMB, LDAP, Protocol&Port Management, IP/MAC Filtering, HDD Overwrite, HDD Encryption, Common Criteria Certification (ISO15408), Audit Log, Access Control
Client OS Support		Windows : XP (32/64 bit), 2003 Server (32/64 bit), Vista (32/64 bit), 2008 Server (32/64 bit), Windows 7 (32/64 bit), 2008 Server R2 (64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2012 (64 bit), Windows Server 2012 R2 (64 bit), Windows 10 (32/64 bit) Linux : RedHat Enterprise Linux 5, 6, Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20, OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, SuSE Linux Enterprise Desktop 10, 11, Debian 6, 7, Mint 13, 14, 15, 16 Unix : Sun Solaris 9, 10, 11 (x86, SPARC), HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium), IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1 (PowerPC) Mac : OS 10.5 - 10.11
Network Protocols		TCP/IPv4, IPv6, DHCP, BOOTP, AutoIP, DNS, DDNS, WINS, Standard TCP/IP, LPR/LPD, IPP, ThinPrint, Google Cloud Print, AirPrint, WSD print, FTP print, HTTP, SNMP (v1/2c/3), Telnet, SLP, Bonjour, UPnP (SSDP), WSD Discovery, SMTP, FTP, I-Fax (T.37), LDAP, SMB, Kerberos
Print		SL-M4560FX
Speed (Mono)		Up to 45 ppm in A4 (47 ppm in Letter)
First Print Out Time (Mono)		As fast as 6.5 sec
Resolution		Up to 1,200 x 1,200 dpi Effective Output
Print Languages		PCL5, PCL6, PS3, PDF V1.7
Duplex Print		Built-in
Direct Print Support		JPEG, PDF, PRN, TIFF, XPS
Print Features		WSD Print, Secure Print, Stored Print, Booklet Print, N-up, Cover Page Print, Barcode Print, Eco Print, Skip Blank Pages, Poster Print, Watermark, Tray Priority Settings, Auto Tray Switching, Tray Protection, Direct Print from USB, Secure PDF Print
Mobile Print Feature		Apple AirPrint, Mopria-certified, Google Cloud Print, Samsung Cloud Print, PrinterOn Cloud Print, Samsung Mobile Print, Samsung Print Plugin
Copy		SL-M4560FX
Speed (Mono)		Up to 45 cpm in A4 (47 cpm in Letter)
First Copy Out Time (Mono)		As fast as 6.5 sec
Resolution		Up to 600 x 600 dpi Effective Output
Reduce / Enlarge Range		25 - 400 %
Multi Copy		9,999 pages
Duplex Copy		Built-in
Copy Features		ID Copy, N-up, Booklet, Image Repeat, Auto Fit, Book Copy, Poster Copy, Watermark, Overlay, Stamp, Covers, Build Job, Preview, Edge Erase, Image Shift, Background Adjustment, Preview, Program, Proof Copy, Mixed Size Original, Copy to Edge

Scan	SL-M4560FX
Scan Speed (Mono)	Simplex 40 ipm (300 dpi), Duplex 60 ipm (300 dpi)
Scan Speed (Color)	Simplex 40 ipm (300 dpi), Duplex 60 ipm (300 dpi)
Compatibility	Windows : TWAIN Mac : TWAIN, ICDM Linux : SANE
Method	Color CIS
File Format	PDF, Searchable PDF, Compact PDF/ PDF Encryption, Digital Signature in PDF, PDF/A, TIFF, XPS, JPEG
Resolution (Optical)	Up to 600 x 600 dpi
Resolution (Enhanced)	Up to 4,800 x 4,800 dpi
Scan Destinations	Email, FTP, SMB, BOX, USB, WSD, PC, I-Fax
Scan Document Weight	60 - 90 g/m ²

Fax	SL-M4560FX
Compatibility	ITU-T G3, Super G3
Modem Speed	33.6 kbps
Resolution	Up to 600 x 600 dpi
Compression Method	MH, MR, MMR,JBIG
Memory	HDD (Shared)
Auto Dial	Yes
Fax Feature	Speed Dial, Group Dial, ECM, Caller ID, Auto Redial, On Hook Dial, Delay Send, Multi Send, Background Adjustment, Job Build, Quick Start, Preview, Secure Reception, Forwarding to Fax/Email/SMB/FTP/Box, etc.

Paper Handling	SL-M4560FX
Input Capacity (Cassette)	550 sheets
Input Capacity (Multipurpose Tray)	100 sheets
Input Capacity (Maximum)	2,300 sheets (Standard 650 sheets + Optional 550-sheet Second Cassette Feeder x 3)
Media Type (Cassette)	Plain, Thin, Thick, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Hole Punched, Cardstock, Envelope, Label
Media Type (Multipurpose Tray)	Plain, Thin, Thick, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Hole Punched, Cardstock, Envelope, Label
Media Size (Cassette)	Plain, Thin, Thick, Thicker, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Hole Punched, Cardstock, Envelope, Label
Media Size (Multipurpose Tray)	A4, A5, A6, B5(JIS), B5(ISO), Legal, Letter, Executive, Statement, Oficio, Folio, Envelope Monarch, Envelope DL, Envelope C5, Envelope C6, Envelope No.10, Envelope No.9, Postcard, Custom (98 x 148 mm - 216 x 356 mm (3.86" x 5.85" - 8.5" x 14"))
Media Weights (Cassette)	60 - 163 g/m ²
Media Weights (Multipurpose Tray)	60 - 220 g/m ²
ADF Type	DSDF
ADF Document Capacity	50 sheets
Output Capacity	500 sheets

Supplies	SL-M4560FX
Toner (Black)	MLT-D303E (40,000 pages) *Declared Yield Value in accordance with ISO/IEC 19752 *Ships with initial toner cartridges yield 7,000 pages
Imaging Unit/Drum (Black)	MLT-R303 (100,000 pages) *based on simplex 3 average letter/A4-size pages per job

Option	SL-M4560FX
	Short Stand, Second Cassette Feeder, Wireless LAN/NFC Kit